

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: CHAIN CLEANER 750ML-800649

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

N/A

## 1.3. Details of the supplier of the safety data sheet

Registered company name: IPONE.

Address: La Meunière .13480.CABRIES .FRANCE.

Telephone: +33 (0)4 42 94 05 65. Fax: +33 (0)4 42 94 05 66.

info@ipone.fr

#### 1.4. Emergency telephone number: +33 (0)1 45 42 59 59.

Association/Organisation: INRS / ORFILA http://www.centres-antipoison.net.

#### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

## In compliance with EC regulation No. 1272/2008 and its amendments.

Aerosol, Category 1 (Aerosol 1, H222 - H229).

Skin irritation, Category 2 (Skin Irrit. 2, H315).

Specific target organ toxicity (single exposure), Category 3 (STOT SE 3, H336).

Aspiration hazard, Category 1 (Asp. Tox. 1, H304).

Hazardous to the aquatic environment - Chronic hazard, Category 2 (Aquatic Chronic 2, H411).

#### 2.2. Label elements

Detergent mixture (see section 15).

Mixture for aerosol application.

## In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms:









GHS07

GHS09

GHS08

GHS02

Signal Word:

DANGER

Product identifiers:

EC 927-510-4 HYDROCARBONS, C7, N-ALKANES, ISOALKANES, CYCLICS

EC 918-481-9 HYDROCARBURES C10 C13 N-ALCANES, ISOALCANES, CYCLIQUES, <2% AROMATIQUES

Hazard statements:

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements - General :

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children. P103 Read label before use.

Precautionary statements - Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P261 Avoid breathing spray.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves

Precautionary statements - Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/...

P302 + P352 IF ON SKIN: Wash with plenty of water/...

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P331 Do NOT induce vomiting.

P391 Collect spillage.

Precautionary statements - Storage:

P405 Store locked up.

P410 + P412 Protect from sunlight. Do no expose to temperatures exceeding 50 oC/122oF.

Precautionary statements - Disposal:

P501 Dispose of contents/container according to the local rules.

Other information:

Do not use for a usage other one than the one for wich the product is intended.

Do not spray for a long time.

#### 2.3. Other hazards

REACH SVHC < 0.1%

Considering the information communicated by our suppliers, according to the article 33 of the REACH, the mixture contains, in the date of revision of the FDS, less than 0.1 % m/m of 'Substances extrêment worrisome '(SVHC) published by the European Agency of Chemicals (ECHA) according to the article 57 of the REACH: http://echa.europa.eu/fr/candidate-liste-table

#### SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixtures

**Composition:** 

| Identification                   | (EC) 1272/2008             | Note | %                    |
|----------------------------------|----------------------------|------|----------------------|
| INDEX: 601-004-00-0              | GHS02, GHS04               | С    | 25 <= x % < 50       |
| CAS: 106-97-8                    | Dgr                        | [1]  |                      |
| EC: 203-448-7                    | Flam. Gas 1, H220          | [7]  |                      |
|                                  |                            | [.,] |                      |
| BUTANE                           |                            |      |                      |
| EC: 927-510-4                    | GHS07, GHS09, GHS08, GHS02 |      | 25 <= x % < 50       |
| REACH: 01-2119475515-33          | Dgr                        |      |                      |
|                                  | Flam. Liq. 2, H225         |      |                      |
| HYDROCARBONS, C7, N-ALKANES,     | Asp. Tox. 1, H304          |      |                      |
| ISOALKANES, CYCLICS              | Skin Irrit. 2, H315        |      |                      |
|                                  | STOT SE 3, H336            |      |                      |
|                                  | Aquatic Chronic 2, H411    |      |                      |
| CAS: 918_481_9                   | GHS08                      |      | $10 \le x \% < 25$   |
| EC: 918-481-9                    | Dgr                        |      |                      |
| REACH: 01-2119457273-39          | Asp. Tox. 1, H304          |      |                      |
|                                  | EUH:066                    |      |                      |
| HYDROCARBURES C10 C13 N-ALCANES, |                            |      |                      |
| ISOALCANES, CYCLIQUES, <2%       |                            |      |                      |
| AROMATIQUES                      |                            |      |                      |
| INDEX: 601-004-00-0              | GHS02, GHS04               | C    | $10 \le x \% < 25$   |
| CAS: 75-28-5                     | Dgr                        | [1]  |                      |
| EC: 200-857-2                    | Flam. Gas 1, H220          | [7]  |                      |
|                                  |                            |      |                      |
| ISOBUTANE                        |                            |      |                      |
| INDEX: 601-003-00-5              | GHS02, GHS04               | [1]  | $2.5 \le x \% < 10$  |
| CAS: 74-98-6                     | Dgr                        | [7]  |                      |
| EC: 200-827-9                    | Flam. Gas 1, H220          |      |                      |
| PROPANE                          |                            |      |                      |
| CAS: 124-38-9                    |                            | [1]  | 2.5 <= x % < 10      |
| EC: 204-696-9                    |                            | [1]  | $ 2.3 \le x \% < 10$ |
| EC: 204-090-9                    |                            | [7]  |                      |
| CO2 DIOXYDE DE CARBONE           |                            |      |                      |
|                                  |                            |      |                      |

#### Information on ingredients:

- [7] Propellant gas
- [1] Substance for which maximum workplace exposure limits are available.

#### **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

## 4.1. Description of first aid measures

#### In the event of exposure by inhalation:

In the event of massive inhalation, remove the person exposed to fresh air. Keep warm and at rest.

If the person is unconscious, place in recovery position. Notify a doctor in all events, to ascertain whether observation and supportive hospital care will be necessary.

If breathing is irregular or has stopped, effect mouth-to-mouth resuscitation and call a doctor.

#### In the event of splashes or contact with skin:

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

#### In the event of swallowing:

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Seek medical attention immediately, showing the label.

If swallowed accidentally, do not allow to drink, do not induce vomiting and transfer to hospital immediately by ambulance. Show the label to the doctor.

### 4.2. Most important symptoms and effects, both acute and delayed

No data available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

## **SECTION 5 : FIREFIGHTING MEASURES**

Flammable.

Chemical powders, carbon dioxide and other extinguishing gas are suitable for small fires.

## 5.1. Extinguishing media

Keep packages near the fire cool, to prevent pressurised containers from bursting.

## Suitable methods of extinction

Prevent the effluent of fire-fighting measures from entering drains or waterways.

#### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO2)

### 5.3. Advice for firefighters

Fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

## 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

## For non first aid worker

Avoid inhaling the vapors.

Avoid any contact with the skin and eyes.

If a large quantity has been spilt, evacuate all personnel and only allow intervention by trained operators equipped with safety apparatus.

## For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

#### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

If the product contaminates waterways, rivers or drains, alert the relevant authorities in accordance with statutory procedures

Use drums to dispose of collected waste in compliance with current regulations (see section 13).

## 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

#### 6.4. Reference to other sections

No data available.

#### SECTION 7: HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

#### 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Remove contaminated clothing and protective equipment before entering eating areas.

#### Fire prevention:

Handle in well-ventilated areas.

Prevent the formation of flammable or explosive concentrations in air and avoid vapor concentrations higher than the occupational exposure limits.

Do not spray on a naked flame or any incandescent material.

Do not pierce or burn, even after use.

Never inhale this mixture.

Use the mixture in premises free of naked flames or other sources of ignition and ensure that electrical equipment is suitably protected.

Keep packages tightly closed and away from sources of heat, sparks and naked flames.

Do not use tools which may produce sparks. Do not smoke.

Prevent access by unauthorised personnel.

## Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Do not breathe in aerosols.

Avoid inhaling vapors.

Avoid inhaling vapors. Carry out any industrial operation which may give rise to this in a sealed apparatus.

Provide vapor extraction at the emission source and also general ventilation of the premises.

Also provide breathing apparatus for certain short tasks of an exceptional nature and for emergency interventions.

In all cases, recover emissions at source.

## Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

Never open the packages under pressure.

## 7.2. Conditions for safe storage, including any incompatibilities

No data available.

## Storage

Keep out of reach of children.

Keep the container tightly closed in a dry, well-ventilated place.

Keep away from food and drink, including those for animals.

Keep away from all sources of ignition - do not smoke.

Keep well away from all sources of ignition, heat and direct sunlight.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C.

#### Packaging

Always keep in packaging made of an identical material to the original.

## 7.3. Specific end use(s)

No data available.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

## Occupational exposure limits:

- European Union (2009/161/EU, 2006/15/EC, 2000/39/EC, 98/24/EC)

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

e substance or mixture

74-98-6 1000 ppm - - - - - - 124-38-9 5000 ppm 30000 ppm - - - -

- Germany - AGW (BAuA - TRGS 900, 21/06/2010) :

VME: Notes Excess 106-97-8 1000 ml/m3 2400 mg/m3 4(II) DFG 75-28-5 1000 ml/m3 2400 mg/m3 4(II) DFG 74-98-6 DFG 1000 ml/m3 1800 mg/m3 4(II) 124-38-9 5000 ml/m3 9100 mg/m3 2(II) DFG, EU

- France (INRS - ED984:2012):

- UK / WEL (Workplace exposure limits, EH40/2005, 2007):

CAS TWA: STEL: Ceiling: Definition: Criteria: 106-97-8 600 ppm 750 ppm - - - - - - 124-38-9 5000 ppm 15000 ppm - - - - -

- Switzerland (SUVA 2009):

| CAS      | VME-mg/m3 | 3: VME-ppm: | VLE-mg/m3: | VLE-ppm: | Temps: | RSB |
|----------|-----------|-------------|------------|----------|--------|-----|
| 106-97-8 | 1900      | 800         | -          | -        | -      | -   |
| 75-28-5  | 1900      | 800         | -          | -        | -      | -   |
| 74-98-6  | 1800      | 1000        | 7200       | 4000     | 4x15   | -   |
| 124-38-9 | 9000      | 5000        | -          | -        | -      | -   |

## 8.2. Exposure controls

#### Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE):









Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

#### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

## - Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Recommended properties:

- Impervious gloves in accordance with standard EN374

### - Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing:

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

## - Respiratory protection

Avoid breathing vapours.

If the ventilation is insufficient, wear appropriate breathing apparatus.

When workers are confronted with concentrations that are above occupational exposure limits, they must wear a suitable, approved, respiratory protection device.

Not relevant.

Type of FFP mask:

Wear a disposable half-mask aerosol filter in accordance with standard EN149.

Category:

- FFP1

Anti-gas and vapour filter(s) (Combined filters) in accordance with standard EN14387:

- A1 (Brown)

Particle filter according to standard EN143:

- P1 (White)

pH:

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

#### **General information:**

Physical state : Fluid liquid. Spray.

#### Important health, safety and environmental information

Boiling point/boiling range: Not specified. Vapour pressure (50°C): Not relevant. Density: < 1 Water solubility: Insoluble. Melting point/melting range: Not specified. Not specified. Self-ignition temperature: Decomposition point/decomposition range: Not specified. Chemical combustion heat: >= 30 kJ/g.

# 9.2. Other information

No data available.

## SECTION 10: STABILITY AND REACTIVITY

## 10.1. Reactivity

No data available.

## 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

#### 10.3. Possibility of hazardous reactions

No data available.

#### 10.4. Conditions to avoid

Any apparatus likely to produce a flame or to have a metallic surface at high temperature (burners, electric arcs, furnaces etc.) must not be allowed on the premises.

Avoid:

- heating
- heat

## 10.5. Incompatible materials

### 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

#### SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1. Information on toxicological effects

May cause irreversible damage to the skin; namely inflammation of the skin or the formation of erythema and eschar or oedema following exposure up to four hours.

Narcotic effects may occur, such as drowsiness, narcosis, decreased alertness, loss of reflexes, lack of coordination or dizziness.

Effects may also occur in the form of violent headaches or nausea, judgement disorder, giddiness, irritability, fatigue or memory disturbance.

Aspiration toxicity includes severe acute effects such as chemical pneumonia, varying degrees of pulmonary injury or death following aspiration.

#### 11.1.1. Substances

No toxicological data available for the substances.

### 11.1.2. Mixture

## **Aspiration hazard:**

May be fatal if swallowed and enters airways.

Aspiration toxicity includes severe acute effects such as chemical pneumonia, varying degrees of pulmonary injury or death following aspiration.

#### **SECTION 12: ECOLOGICAL INFORMATION**

Toxic to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

#### 12.1. Toxicity

#### **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

### 12.2. Persistence and degradability

No data available

# 12.3. Bioaccumulative potential

No data available.

## 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

No data available.

## 12.6. Other adverse effects

No data available.

# SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

## Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

## **SECTION 14: TRANSPORT INFORMATION**

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2015 - IMDG 2014 - ICAO/IATA 2015).

#### 14.1. UN number

1950

#### 14.2. UN proper shipping name

UN1950=AEROSOLS, flammable

## 14.3. Transport hazard class(es)

- Classification:



2.1

## 14.4. Packing group

-

### 14.5. Environmental hazards

- Environmentally hazardous material:



## 14.6. Special precautions for user

| ADR/RID | Class | Code | Pack gr. | Label | Ident. | LQ  | Provis.         | EQ | Cat. | Tunnel |
|---------|-------|------|----------|-------|--------|-----|-----------------|----|------|--------|
|         | 2     | 5F   | -        | 2.1   | -      | 1 L | 190 327 344 625 | E0 | 2    | D      |

| IMDG | Class | 2°Label  | Pack gr. | LQ    | EMS     | Provis.        | EQ |
|------|-------|----------|----------|-------|---------|----------------|----|
|      | 2.1   | See SP63 | -        | SP277 | F-D,S-U | 63 190 277 327 | E0 |
|      |       |          |          |       |         | 344 959        |    |

| IATA | Class | 2°Label | Pack gr. | Passager | Passager | Cargo | Cargo  | note | EQ |
|------|-------|---------|----------|----------|----------|-------|--------|------|----|
|      | 2.1   | -       | -        | 203      | 75 kg    | 203   | 150 kg | A145 | E0 |
|      |       |         |          |          |          |       |        | A167 |    |
|      |       |         |          |          |          |       |        | A802 |    |
|      | 2.1   | -       | -        | Y203     | 30 kg G  | -     | -      | A145 | E0 |
|      |       |         |          |          |          |       |        | A167 |    |
|      |       |         |          |          |          |       |        | A802 |    |

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

# 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code $\,$

No data available.

## **SECTION 15: REGULATORY INFORMATION**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 75/734/CEE modified by directive 2013/10/UE
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 1297/2014.

#### - Container information:

N/A

## - Particular provisions :

No data available.

### - Labelling for detergents (EC Regulation No. 648/2004,907/2006):

- 30 % and more : aliphatic hydrocarbons

#### 15.2. Chemical safety assessment

No data available.

#### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

## Wording of the phrases mentioned in section 3:

| Extremely flammable gas. |
|--------------------------|
|                          |

H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

#### **Abbreviations:**

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

GHS02: Flame

GHS07 : Exclamation mark GHS08 : Health hazard GHS09 : Environment

PBT: Persistent, bioaccumulable and toxic. vPvB: Very persistent, very bioaccumulable. SVHC: Substances of very high concern.